

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5500	creat\$4 with new with (window\$3 layout\$3 view\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 20:43
L2	4864	(position\$4 reposition\$4) with (first near5 view) with (second near5 view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 20:43
L3	4	L2 same CAD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 20:43
L4	0	1 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 20:43
L5	1207	L2 same drawing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 20:43
L6	0	1 and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 20:43
L7	3	creat\$4 with (window\$3 layout\$3 view\$4) and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 20:44
L9	46	Hanratty.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 21:38

L10	1	9 and CAD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 21:38
L11	37	CAD same (window with scroll\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 21:51
L12	13	11 and zoom\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 21:52
L13	3	(US-5701403-\$ or US-5990897-\$ or US-6078308-\$).did.	USPAT	OR	ON	2005/08/01 22:08
S4	61368	(position\$4 reposition\$4) with view with first	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:46
S5	22188	(position\$4 reposition\$4) with view with first with second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:47
S6	26646	(position\$4 reposition\$4) with view with first same second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:47
S7	8482	(position\$4 reposition\$4) with (first near5 view) with second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:48
S8	4864	(position\$4 reposition\$4) with (first near5 view) with (second near5 view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:48

S9	1207	S8 same drawing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:48
S10	4	S8 same CAD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 20:42

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	867	345/619.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52
S2	1379	(345/62? 345/630 345/631).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:37
S3	0	715/501.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:37
S4	141	715/502.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:38
S5	0	715/501.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:38
S6	412	(345/62?).ccls. NOT (345/629.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:40
S7	140	715/964.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:40
S8	212720	(two-dimension\$8) (two adj dimension\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:50
S9	305109	(three-dimension\$8) (three adj dimension\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:51

S10	2362	S8 with view with S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:51
S11	178	S10 with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:51
S12	63	S11 with model\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:25
S13	7	S12 with (pluralit\$3 several few many)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:52
S14	469262	"12" and fold\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:24
S15	2	"5990897".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:24
S16	212720	(two-dimension\$8) (two adj dimension\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:25
S17	305109	(three-dimension\$8) (three adj dimension\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:25
S18	2362	S16 with view with S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:25
S19	178	S18 with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:25

S20	13	S19 and fold\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:09
S21	2	S19 same fold\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:25
S22	21766	"19" with (fold\$8 NOT folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:10
S23	212720	(two-dimension\$8) (two adj dimension\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:10
S24	305109	(three-dimension\$8) (three adj dimension\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:10
S25	2362	S23 with view with S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:10
S26	178	S25 with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:10
S27	2	S26 with (fold\$8 NOT folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:10
S28	9	S25 with (fold\$8 NOT folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:10
S29	105	drafting near standard\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:36

S30	25	S29 and (CAD (computer\$2 near assist\$8 near draw\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:29
S31	212720	(two-dimension\$8) (two adj dimension\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:37
S32	305109	(three-dimension\$8) (three adj dimension\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:37
S33	2362	S31 with view with S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:37
S34	1	S33 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:24
S35	5881	transform\$8 adj (matrix matrix\$2 matrices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:25
S36	4	S29 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:25
S37	127	S33 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:25
S38	33344	(CAD (computer\$2 near assist\$8 near draw\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:29
S39	32	S37 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:29

S40	0	S39 and (drag with drop\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 18:20
S41	7	S39 and (drag and drop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 18:21
S42	7	S37 and drag and drop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 19:07
S43	2	(hide hiding) with view\$5 with unselect\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 19:07
S44	952	345/619.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52
S45	952	S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52
S46	1498	(345/62? 345/630 345/631).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52
S47	1498	S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52
S48	149	715/502.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52
S49	0	715/501.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52



S50	436	(345/62?).ccls. NOT (345/629.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52
S51	436	S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52
S52	150	715/964.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52
S53	150	S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52
S54	6343	transform\$8 adj (matrix matrix\$2 matrices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:05
S56	20104	transform\$8 with (matrix matrix\$2 matrices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:05
S57	10155	transform\$8 near2 (matrix matrix\$2 matrices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:09
S58	12	US-4991224-\$.DID. OR US-5222499-\$.DID. OR US-5803914-\$.DID. OR US-6249594-\$.DID. OR US-6704439-\$.DID. OR US-6754374-\$.DID. OR "US-20010028697-\$.DID"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:11
S59	227563	(two-dimension\$8) (two adj dimension\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:11

S60	325759	(three-dimension\$8) (three adj dimension\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:11
S61	2553	S59 with view with S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:11
S62	190	S61 with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:11
S63	14	S62 and fold\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:11
S64	227563	(two-dimension\$8) (two adj dimension\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:11
S65	325759	(three-dimension\$8) (three adj dimension\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:11
S66	2553	S64 with view with S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:11
S67	10	S66 with (fold\$8 NOT folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:30
S68	21	S66 with layout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:31
S69	276	S66 and (CAD (computer-aided near draw\$4) (computer adj aid\$3 adj draw\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:31

S70	17	S68 not S67 not S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:43
S71	340	S66 and layout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:43
S72	57	S69 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:43
S73	48	S72 not (S67 S63 S70)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 18:43